

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	25871	(cost near5 (calculat\$3 or determin\$3 or find\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:30
L4	0	((cost near5 (calculat\$3 or determin\$3 or find\$3)) with(read\$3 near5 permut\$))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:30
L5	0	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 permut\$))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:30
L6	5210	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content)))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:31
L7	6	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) same permut\$	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:31
L8	0	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) same permut\$) and (stor\$3 adj3 area adj3 network\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:32
L9	1	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) and permut\$) and (stor\$3 adj3 area adj3 network\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:33
L10	30	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) ) and (stor\$3 adj3 area adj3 network\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:33
L11	3	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) ) and ((stor\$3 adj3 area adj3 network\$3)with perform\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:34
L12	80	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) ) and ((stor\$3 near5 network\$3)with perform\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:34

## EAST Search History

L13	261	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) ) and ((stor\$3 near5 (system or network\$3))with perform\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:34
L14	28	((cost near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) ) same ((stor\$3 near5 (system or network\$3))with perform\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:34
L15	76	((cost or expens\$3) near5 (calculat\$3 or determin\$3 or find\$3)) same (read\$3 near5 data or (information or content))) ) same ((stor\$3 near5 (system or network\$3))with perform\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:49
L17	0	707/07	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:49
L18	640	7/100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:49
L19	13264	((707/7) or (707/100) or (714/22) or (714/819) or (709/217)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/12 11:50
L20	135	l19 and sorter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:50

## EAST Search History

L21	1848	l19 and assign\$3 and (collect\$3 or combin\$3) and sort\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:51
L22	26	l19 and assign\$3 with (read\$3 near5 (data or information)) and (collect\$3 or combin\$3) and sort\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:53
L23	1	l19 and ((assign\$3 with (read\$3 near5 (data or information)) ) same(collect\$3 or combin\$3)) and sort\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:53
L24	21	l19 and assign\$3 with (read\$3 near5 (data or information)) and ((collect\$3 or combin\$3) with (data or information)) and sort\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:54
L25	58	l19 and assign\$3 with (read\$3 near5 (data or information)) and ((collect\$3 or combin\$3) with (data or information)) and (sort\$3with (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:54
L26	18	l19 and assign\$3 with (read\$3 near5 (data or information)) and ((collect\$3 or combin\$3) with (data or information)) and (sort\$3 with (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:54
L27	18	l19 and (assign\$3 with (read\$3 near5 (data or information)) )and ((collect\$3 or combin\$3) with (data or information)) and (sort\$3 with (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:54

## EAST Search History

L28	11	l19 and (assign\$3 with (read\$3 near5 (data or information)) )and ((collect\$3 or combin\$3) with (data or information)) and (sort\$3 with (data or information)) and ((storage near5 (system or network)) or RAID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/12 11:55
S1	9107	(RAID or (redundant adj2 array adj2 independent adj2 disks))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:23
S2	25	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:24
S3	0	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) same (request\$3 near5 (data or information or content or message))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:25
S4	16	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and (request\$3 near5 (data or information or content or message))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:25
S5	9	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:26
S6	0	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3))and (permut\$)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:28

## EAST Search History

S7	8	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3))and ((permut\$ or reconstruct\$ or rebuild\$ or adjust\$ or remodel\$)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:29
S8	8	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3))and ((permut\$ or reconstruct\$ or rebuild\$ or adjust\$ or remodel\$) same (read\$3 near5 request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:30
S9	5	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3))and ((permut\$ or reconstruct\$ or rebuild\$ or adjust\$ or remodel\$)with (read\$3 near5 request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:31
S10	5	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3))and ((permut\$ or reconstruct\$ or rebuild\$ or adjust\$ or remodel\$)with (read\$3 near5 request\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:32

## EAST Search History

S11	9	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:40
S12	0	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3)) and ((permut\$5 or reconstruct\$) with (metric or cost))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:40
S13	0	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3)) and ((permut\$5 or reconstruct\$) same(metric or cost))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 08:40
S14	7	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system)) with ((multiple or several or many or parallel) near5 (pathway or path or route)) and ((request\$3 near5 (data or information or content or message)) same (sort\$3 or match\$3 or compar\$3 or assign\$3 or collect\$3)) and ((permut\$5 or reconstruct\$) and(metric or cost))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:33
S15	1793	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (permut\$ or combinat\$)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/11 14:17

## EAST Search History

S16	34	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (((permut\$ or combinat\$)with generat\$4))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:35
S17	3	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (((permut\$ or combinat\$)with generat\$4) with read)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:35
S18	0	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))and (((permut\$ or combinat\$)with generat\$4) with (read\$3 near5 request))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:35
S19	0	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))and (((permut\$ or combinat\$)with generat\$4) same (read\$3 near5 request))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:36
S20	96	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))and (((permut\$ or combinat\$)) same (read\$3 near5 request))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:36
S21	1	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))and (((permut\$ or combinat\$)) same (read\$3 near5 request))same cost	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:37
S22	1	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))and (((permut\$ )) same (read\$3 near5 request))and cost	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:37
S23	2	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))and (((permut\$ )) same (read\$3 near5 request))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/26 09:37
S24	3	"7017107".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:07

## EAST Search History

S25	10358	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:09
S26	267	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:09
S27	0	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway with fabric)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:10
S28	267	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway same fabric)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:10
S29	4	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway same fabric)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:10
S30	2	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway same fabric) and sort\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:10
S31	4	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway same fabric) and (sort\$3 or assign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:11
S32	4	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway same fabric) and (sort\$3 or assign\$3 or control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:11
S33	4	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway same fabric) and (sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:15
S34	0	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway same fabric) same (sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:12
S35	40	(read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway ) and ( sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:15



## EAST Search History

S36	40	((read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) and (pathway )) and ( (sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:15
S37	3	((read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) same (pathway )) and ( (sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:16
S38	3	((read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) same (pathway (ultimate adj2 path))) and ( (sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:16
S39	3	((read\$3 near5 request\$3) same (stor\$3 adj3 (data or content)) same (pathway or ( (ultimate or best or optimum) adj2 path))) and ( (sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:20
S40	5	((read\$3 near5 request\$3) same (stor\$3 ) same (pathway or ( (ultimate or best or optimum) adj2 path))) and ( (sort\$3 or assign\$3 or control\$4) same collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:22
S41	561	(fabric or (fibre adj2 channel) or "RAID") and ( (ultimate or optimum or ideal or best) adj4 (path or pathway ))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:24
S42	80	(fabric or (fibre adj2 channel) or "RAID") same( (ultimate or optimum or ideal or best) adj4 (path or pathway ))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:31
S43	43939	read near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:25
S44	1	S42 same S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:25
S45	8	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:25

## EAST Search History

S46	9	(fabric or (fibre adj2 channel) or "RAID") and ( ((ultimate or optimum or ideal or best) adj4 (path or pathway )) same (read\$3 near5 (data or information )) )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:39
S47	3	(fabric or (fibre adj2 channel) or "RAID") and ( ((ultimate or optimum or ideal or best) adj4 (path or pathway )) same (read\$3 near5 request\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:41
S48	6	(fabric or (fibre adj2 channel) or "RAID" or (data adj3 storage)) and ( ((ultimate or optimum or ideal or best) adj4 (path or pathway )) same (read\$3 near5 request\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:41
S49	1	(fabric or (fibre adj2 channel) or "RAID" or (data adj3 storage)) and ( ((ultimate or optimum or ideal or best) adj4 (path or pathway )) same (read\$3 near5 request\$3) ) and ((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:43
S50	1	( ((ultimate or optimum or ideal or best) adj4 (path or pathway )) same (read\$3 near5 request\$3) ) and ((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:43
S51	1	( ((ultimate or optimum or ideal or best) adj4 (path or pathway )) same (read\$3 near5 request\$3) ) and ((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:44
S52	17844	(read\$3 near5 request\$3) and ((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:45
S53	5349	(read\$3 near5 request\$3) same((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) same request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:46
S54	42	(read\$3 near5 request\$3) same((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) same request) and ((ultimate or optimum or ideal or best) adj4 (path or pathway ))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:47
S55	1	(read\$3 near5 request\$3) same((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) same request) same((ultimate or optimum or ideal or best) adj4 (path or pathway ))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:46

## EAST Search History

S56	2	(read\$3 near5 request\$3) same((sort\$3 or filter\$3 or assign\$3 or collect\$3 ) same request) and (((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:57
S57	185	(((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage) or muktupath	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:58
S58	4385362	I	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:58
S59	23139	(((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage) or multipath	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 16:58
S60	3	(((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage) or multipath) with (read\$2 near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:00
S61	3	(((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage) or multipath) and ((read\$3 near5 request) with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:03
S62	5	(((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage) or multipath or multi-path) and ((read\$3 near5 request) with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:08
S63	1	(((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage) and ( multipath or multi-path)) and ((read\$3 near5 request) with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:03
S64	3	(((ultimate or optimum or ideal or best) adj4 (path or pathway )) with storage) or multipath or multi-path) and ((read\$3 near5 request) with segment) and array	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:04
S65	364	(path or pathway or multipath or multi-path) and ((read\$3 near5 request) with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:08
S66	18	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:08

## EAST Search History

S67	3	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) same (array or fibre or fabric or "RAID")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:15
S68	3	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) same (array or fibre or fabric or "RAID" or (storage adj3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:19
S69	15	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) and (array or fibre or fabric or "RAID" or (storage adj3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:19
S70	1	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment)same (filter\$ or sort\$ or pars\$ or collect\$ or assign\$)) and (array or fibre or fabric or "RAID" or (storage adj3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:23
S71	12	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) and ((filter\$ or sort\$ or pars\$ or collect\$ or assign\$))with request) and (array or fibre or fabric or "RAID" or (storage adj3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:24
S72	12	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) and ((filter\$ or sort\$ or pars\$ or collect\$ or assign\$))with request) and ((array or fibre or fabric or "RAID" or (storage adj3 system) or (cluster with storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:45
S73	0	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) and ((filter\$ or sort\$ or pars\$ or collect\$ or assign\$))with request) and ((array or fibre or fabric or "RAID" or (storage adj3 system) ) and (cluster with storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:27

## EAST Search History

S74	0	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) and ((filter\$ or sort\$ or pars\$ or collect\$ or assign\$))with request) and ((array or fibre or fabric or "RAID" or (storage adj3 system) ) and (cluster with stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:27
S75	3	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment) and ((filter\$ or sort\$ or pars\$ or collect\$ or assign\$))with request) and ((array or fibre or fabric or "RAID" or (storage adj3 system) ) and (cluster )	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:28
S76	1	(path or pathway or multipath or multi-path) same ((read\$3 near5 request) with segment)same((filter\$ or sort\$ or pars\$ or collect\$ or assign\$))with request) and ((array or fibre or fabric or "RAID" or (storage adj3 system) or (cluster with storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:40
S77	15897	redundant near5 array	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:40
S78	1	S77 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:40
S79	1	S77 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:41
S80	1	S77 and S66	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:41
S81	99	S77 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:41
S82	99	S77 and S65 and (array or fibre or fabric or "RAID" or (storage adj3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:41

## EAST Search History

S83	15897	S77 dameL41 and (array or fibre or fabric or "RAID" or (storage adj3 system))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:41
S84	27	(RAID or (redundant adj2 array adj2 independent adj2 disks)) with ((multiple or several or many or parallel) near5 (pathway or path or route))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:46
S85	80	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:46
S86	0	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and (read\$3 near5 reequest)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:46
S87	0	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and (read\$3 near5 reequest)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:46
S88	50	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and (read\$3 near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:35
S89	50	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and (read\$3 near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:47
S90	2	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and ((read\$3 near5 request) with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:54
S91	0	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and ((read\$3 near5 request) with segment) and (read with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 17:55

## EAST Search History

S92	2	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and ((read\$3 near5 request) with segment) and (read with segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:34
S93	94501	(pathway or path ) near5 (determin\$ or discover\$ or find\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:40
S94	50	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route)) and (read\$3 near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:35
S95	138	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:35
S96	51	S93 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:35
S97	4	S93 same S95	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:35
S98	32	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) with (read near5 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:38
S99	1	S98 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:38
S100	80	(RAID or (redundant adj2 array adj2 independent adj2 disks)) same((multiple or several or many or parallel) near5 (pathway or path or route))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:38
S101	0	S98 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:39

## EAST Search History

S10 2	36	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (((permut\$ or combinat\$)with generat\$4))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:39
S10 3	0	S98 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:39
S10 4	0	S98 and "L15"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:39
S10 5	1969	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (permut\$ or combinat\$)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:39
S10 6	1	S98 and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:39
S10 7	74	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) same (fabric with interconnect\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:46
S10 8	17	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) with (fabric with interconnect\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:47
S10 9	0	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) with (fabric with interconnect\$) and ((particular or specific or special or optimum or ideal or dedicat\$).near5 pathway)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:48
S11 0	0	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) with (fabric with interconnect\$) and ((particular or specific or special or optimum or ideal or dedicat\$) with pathway)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:48
S11 1	0	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) same (fabric with interconnect\$) and ((particular or specific or special or optimum or ideal or dedicat\$) with pathway)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:48



## EAST Search History

S11 2	1	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) same (fabric with interconnect\$) and ((particular or specific or special or optimum or ideal or dedicat\$)same pathway)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:48
S11 3	60	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) same (fabric with interconnect\$) and ((particular or specific or special or optimum or ideal or dedicat\$)same (pathway or path-way or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:49
S11 4	40	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) same (fabric with interconnect\$) and ((particular or specific or special or optimum or ideal or dedicat\$)with(pathway or path-way or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:49
S11 5	12	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) with (fabric with interconnect\$) and ((particular or specific or special or optimum or ideal or dedicat\$)with(pathway or path-way or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:49
S11 6	1	((pathway or path ) near5 (determin\$ or discover\$ or find\$)) with (fabric with interconnect\$) same((particular or specific or special or optimum or ideal or dedicat\$)with(pathway or path-way or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/10 19:49
S11 7	2109	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (permut\$ or combinat\$)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/11 14:17
S11 8	33	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (permut\$ or combinat\$) same (read\$3 near5 (request\$3 or query))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/11 14:18

## EAST Search History

S11 9	12	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (permut\$ or combinat\$) and (sort\$3 with (read\$3 near5 (request\$3 or query)))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/11 14:18
S12 0	1	(RAID or (redundant adj2 array adj2 independent adj2 disks) or (data adj2 storage adj2 system))same (permut\$ or combinat\$) and (sort\$3 with (read\$3 near5 (request\$3 or query))) same assign\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/11 14:19
S12 1	2	"7020394".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/11 14:22
S12 2	3	"7017107".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/12 11:29